



Mounting Accessories



Flat-Top Standoffs - Aluminium



Polished Chrome

STDOFF ALU FT 13 PC



Satin Silver

STDOFF ALU FT 13 ST



Gun Metal Grey

STDOFF ALU FT 13 GM



Gold

STDOFF ALU FT 13 GD



Black

STDOFF ALU FT 13 BK



White

STDOFF ALU FT 13 WT



Red

STDOFF ALU FT 13 RD





Blue

STDOFF ALU FT 13 BL



Standoffs are designed to be used to mount and project various display panels at a fixed distance from the wall, while creating a secure, elegant, and professional look.

Available in an extensive range of colours and finishes as seen above:



Product Code	STDOFF ALU FT 13 ...
Diameter	13mm
Spacer	19mm
Cap Thickness	4mm
Screw Dimensions	Ø8mm / L16.5mm
Bottom Hole Size	4.2mm
Max Panel Thickness	8mm

Flat-Top Standoffs - Brass



Polished Chrome

STDOFF ALU FT 13 PC



Satin Chrome

STDOFF ALU FT 13 SC






Polished Gold



Satin Silver



Standoffs provide a custom signage mounting solution and project a subtle and visually appealing way to display signage in a retail or corporate environment.



Product Code	FTSINDOF_BRA_13/19
Diameter	13mm
Spacer	19mm
Cap Thickness	4mm
Screw Dimensions	Ø8mm / L16.5mm
Bottom Hole Size	4.2mm
Max Panel Thickness	8mm

Flat-Top Mirror Caps - Aluminium






Flat-Top Mirror Caps - Brass



Standoff Mirror Caps add the finishing touch and level of professionalism to your displays, and you can be confident with our durable electro-coated Mirror Caps using either brass or aluminium.

Product Code	CAP ALU 15 ...	CAP BRAS 15 ...
Diameter	15.5mm	15.5mm
Spacer	19mm	19mm
Cap Thickness	8mm	8mm
Screw Dimensions	ø8mm / L12.5mm	ø8mm / L12.5mm
Bottom Hole Size	5mm	5mm
Max Panel Thickness	7mm	7mm






Caps & Spacers - Aluminium



Design options are endless with the ability to stack layers of display substrates using the Caps & Spacers.

Product Code	STDOFF ALU DM 16 ST
Diameter	15.5mm
Spacer	19mm
Cap Thickness	8mm
Screw Dimensions	ø8mm / L12.5mm
Bottom Hole Size	5mm
Max Panel Thickness	7mm



Flat-Top Standoffs - Stainless Steel






Stainless Steel
STD OFF STEEL 13



Stainless Steel
STD OFF STEEL 25

Stainless Steel Standoffs are best suited for outdoor displays, heavy weather resistant while maintaining a professional appearance.



Product Code	STD OFF STEEL 13	STD OFF STEEL 25
Cap Thickness	4mm	6mm
Diameter	13mm	25mm
Spacer	19mm	25mm
Screw Dimensions	Ø8mm / L17mm	Ø10mm / L23mm
Bottom Hole Size	4.2mm	5mm
Max Panel Thickness	8mm	14mm

Flat-Top Tamper-Proof Standoffs - Stainless Steel






Stainless Steel
STD OFF STEEL 15




Stainless Steel
STD OFF STEEL 20

For the more security-conscious or for signage that needs to be displayed in a public environment, both indoor and outdoor.



Product Code	STD OFF STEEL 15	STD OFF STEEL 20
Diameter	13mm	18mm
Spacer	19mm	19mm
Cap Thickness	8mm	8mm
Screw Dimensions	Ø8mm / L12.5mm	Ø8mm / L12.5mm
Bottom Hole Size	5mm	5mm
Max Panel Thickness	7mm	7mm

Flat-Top Square Tamper-Proof Standoffs - Aluminium



Black

STDOFF ALU SQ 16 BK



Gold

STDOFF ALU SQ 16 GD




Satin Silver

STDOFF ALU SQ 16 ST

For the more security-conscious or for signage that needs to be displayed in a public environment, both indoor and outdoor.

Product Code	STDOFF ALU SQ 16 BK	STDOFF ALU SQ 16 GD	STDOFF ALU SQ 16 ST
Diameter	15mm	15mm	15mm
Spacer	19mm	19mm	19mm
Screw Dimensions	Ø8mm / L19mm	Ø8mm / L19mm	Ø8mm / L19mm
Bottom Hole Size	8mm	8mm	8mm
Max Panel Thickness	10mm	10mm	10mm



Quattrofix Standoffs - Stainless Steel



Black



Polished Chrome






Satin Silver

The Quattrofix Stainless Steel Standoff range are universal stainless steel standoffs that 'Quattrofix' with an allen screw.

Ideal for use with a huge range of materials and applications. These standoffs are tamper-proof and are perfect for outdoor use.

These are available in Gold, Black, Satin Silver and Polished Chrome.

Product Code	FSINDOFQF_SS_15/19
Diameter	15mm
Spacer	19mm
Screw Dimensions	Ø8mm / L19mm
Bottom Hole Size	8mm
Max Panel Thickness	10mm



Dome Top Standoffs - Brass




Polished
Gold

STDOFF ALU DMT 16 GD




Polished
Chrome

STDOFF ALU DMT 16 ST



These standoffs add a touch of style to your mounts, while being expertly machined out of brass, they are available in both Polished Gold or Polished Chrome and are easy to install with the provided hardware.



Product Code	STDOFF ALU DMT 16 GD	STDOFF ALU DMT 16 ST
Diameter	16mm	16mm
Spacer	23mm	
Cap Thickness	2.5mm	
Screw Dimensions	Ø8mm / L20mm	Ø8mm / L20mm
Bottom Hole Size	5mm	5mm
Max Panel Thickness	12mm	12mm

Dome-Top Standoffs - Aluminium



Satin
Silver

OFF ALU DM 13 ST




Satin
Chrome

STDOFF ALU DM 13 SC



These display fittings have a dome-top for a professional appearance, and hand tighten around your sign to securely hold it in place and come in either Satin Silver or Stainless Steel for out door use.



Product Code	STDOFF ALU DM 13 ST	STDOFF ALU DM 13 SC
Diameter	13mm	13mm
Spacer	19mm	19mm
Cap Thickness	5mm	5mm
Screw Dimensions	Ø10mm / L12mm	Ø10mm / L12mm
Bottom Hole Size	5mm	5mm
Max Panel Thickness	6mm	6mm

Flat Top Side Clamp Standoff - Aluminium



These standoff fixings are made from smart anodised aluminium for indoor use and are very quick and easy to install, and which have a side grip, which means there's no need to drill your display substrate when installing it on your wall.



Polished Chrome


ALU CLAMP 16 PC



Satin

ALU CLAMP 16 ST

Product Code	ALU CLAMP 16 PC	ALU CLAMP 16 ST
Diameter	16mm	16mm
Spacer	19mm	19mm
Cap Thickness	8mm	8mm
Screw Dimensions	Ø8mm / L12.5mm	Ø8mm / L12.5mm
Bottom Hole Size	5mm	5mm
Max Panel Thickness	6mm	6mm




These Cable Standoffs easily secure to either stainless steel or nylon cables and is perfect for hanging photography, logo panels, and acrylic signage and providing a nice clean look without damage to walls.

Cable Standoffs - Aluminium




Product Code	CASTNDF_ALU_12/20
Diameter	12mm
Spacer	20mm
Cap Thickness	4mm
Bottom Hole Size	4.2mm
Screw Dimensions	Ø8mm / L12.5mm



Panelclips are an extruded aluminium heat-treated profile for the secure installation displays. Panelclips reduce installation time and costs too. Panelclips also allows for easy panel removal for remodelling or refinishing.

Panel Clips - Aluminium

Product Code	PNLCLPS_ALU_1000/78
Length	1000mm
Width	78mm




Adjustable Mounting Clamps - Aluminium




The Adjustable Mounting Clamp system is an elegant clamp system that doesn't require the drilling of holes to use. Simply wall mount one profile, hook in the second, put in the panel and fix in place by tightening the allen screws.

Panels of different thickness are safely fastened without holes. You can use the clammer at different lengths, on one or two sides, as a sandwich system or with single panels.




Product Code	ALU CLAMP ADJ 40	ALU CLAMP ADJ 80	ALU CLAMP ADJ 120	ALU CLAMP ADJ 180
Length	40mm	80mm	120mm	180mm
Dimensions	25 x 25mm	25 x 25mm	25 x 25mm	25 x 25mm
Max Panel Thickness	10mm	10mm	10mm	10mm


Mounting Clamps - Aluminium



Surface




Flat



Vertical



Tabletop



Product Code	ALU CLAMP 80	ALU CLAMP 120	ALU CLAMP 180	ALU CLAMP 280	ALU CLAMP 380
Length	80mm	120mm	180mm	280mm	380mm
Dimensions	25 x 25mm	25 x 25mm	25 x 25mm	25 x 25mm	25 x 25mm
Max Panel Thickness	8mm	8mm	8mm	8mm	8mm



Projection Locator Standoffs - Acrylic



Acrylic Standoff Signs are both transparent and durable, an ideal alternative for conventional mounts and suitable for both indoor and outdoor use.



Product Code	STDOFF ACRY FT 13 CL	STDOFF ACRY FT 19 CL
Diameter	13mm	19mm
Spacer	11mm	15.5mm
Cap Thickness	4mm	19mm
Bottom Hole Size	4.2mm	4.2mm




The projection locator standoffs are strong and durable sign mounting locators designed to offer a flush face mounted sign the ability to stand off from the mounted surface by up to 24mm.

Projection Locator Standoffs - Acrylic



Product Code	Mini	Small	Large	Extra Large
Wall Distance	7mm	15mm	20mm	24mm
Dimensions	ø12mm	ø15mm	ø20mm	ø24mm





Standoffs are designed to be used to suspend and mount signage, artwork, pictures, photographs, glass, and display panels at a fixed distance from the wall. Many businesses, schools, restaurants, and hotels choose standoffs to display signage to minimize damage to walls while creating a secure, elegant, and professional look.

Projection Locator Standoffs - Polycarbonate



Product Code	POP FIX MEDIUM CLEAR	POP FIX LARGE CLEAR
Diameter	14mm	20mm
Cap Thickness	2.1mm	3mm
Spacer	12mm	17mm
Bottom Hole Size	4mm	4mm



Dome Top Mirror Caps - Aluminium



Polished Chrome
CAP ALU DOME 15 PC



Black
CAP ALU DOME 15 BK



Gold
CAP ALU DOME 15 GD




Copper
CAP ALU DOME 15 CP

Standoffs are designed to be used to suspend and mount signage, artwork, pictures, photographs, glass, and display panels at a fixed distance from the wall. Many businesses, schools, restaurants, and hotels choose standoffs to display signage to minimize damage to walls while creating a secure, elegant, and



Product Code	CAP ALU DOME 15 PC	CAP ALU DOME 15 BK	CAP ALU DOME 15 GD	CAP ALU DOME 15 CP
Diameter	25mm	25mm	25mm	25mm
Cap Thickness	12mm	12mm	12mm	12mm
Spacer	N/A	N/A	N/A	N/A
Screw Dimensions	Ø22mm / 3.5mm	Ø22mm / 3.5mm	Ø22mm / 3.5mm	Ø22mm / 3.5mm
Bottom Hole Size	5mm	5mm	5mm	5mm
Max Panel Thickness	8mm	8mm	8mm	8mm



Clear Spacers - Polycarbonate

Our popular Transparent Polycarbonate Clear Spacers allow you to create a seamless display install by allowing the display substrate to look like its 'floating' from the mounted surface.

These spacers can be used to transform unwanted and unsightly visible screws into your design feature.

These are available in packs of 100pcs.



Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Wall Distance	5mm	10mm	15mm	20mm	30mm	40mm

Spacers - Stainless Steel

Stainless Steel always portrays a sleek, modern and professional appearance and our Stainless Steel Spacers are no different.

Available in a range of sizes, they are great for mounting display panels and signage in just about any office or retail setting.

These are available in packs of 100pcs.



Product Code	Product Code	Product Code	Product Code	Product Code
Wall Distance	5mm	10mm	20mm	40mm

Sign Clamp - Aluminium



Our Sign Clamps will suit a large range of substrates and applications. The aluminium clamps are tamper-proof and for indoor use only.



Product Code	ALU CLAMP 25 MF
Height	35mm
Width	10mm
Max Panel Thickness	12mm

Tamper Proof Screw Stud - Stainless Steel



Our Tamper Proof Screw Studs provide peace of mind when mounting signage in problematic environments.

Suitable for indoor and outdoor use.

Comes complete with custom Torx Allen key.



Product Code	SCREW STUD TP
Diameter	15mm
Spacer	19mm
Screw Dimensions	Ø15mm / L35mm
Bottom Hole Size	4.2mm
Max Panel Thickness	15mm

Polytop Screws

Polytop screws are a zinc-plated single-piece display fixing with an innovative, encapsulated polymer head. They offer a stable mounting for use on exposed fixing areas. The polymer used is corrosion resistant, so they are ideal for both indoor and outdoor use.

The colour co-ordinated head will not separate as with other two-part screw and cover fasteners.

These are available in packs of 100pcs.

24mm / 10 Gauge

Available colours:




Polytop Rivets

Polytop Rivets are an encapsulated coating, using a high precision polymer profile, injection moulded onto an aluminium blind open rivet.

The wear-resistant colour co-ordinated head will not separate or deteriorate over time as with other fixings. You can now avoid the unsightly peeling associated with painted or wrapped rivets or the problems with lost colour caps and covers that occur with two part fixings.

These are available in packs of 100pcs

Available colours:.



Plastic Snap Caps


Our Plastic Snap Caps can simply be inserted into a screw through the pre-drilled hole in the cap, screw into place, then snap the cap shut to then hide the metal head of the screw from sight.

Snap Caps are UV stabilised for all weather applications.

These are available in packs of 100pcs.

6 - 8 Gauge

Available colours: White, Black, Yellow, Green, Blue, Brass, Brown, Bronze Olive, Dark Jade, Gold, Satin Chrome, Chrome



Hinged Snap Caps

Hinged Snap Caps are able to conceal screws with flat bottomed heads, including panhead and round head.

Made from high impact UV stabilised plastic.

Available in White, Black, Aluminium Tone.

These are available in packs of 250pcs.

Available colours:






Luminous LED sign standoffs powered by 12v.

Ideal to hold Glass, Acrylic or any other solid substrate.

LED Standoffs - Aluminium



Product Code	STDOFF LED 25 WT	STDOFF LED 25 RGB
LED Colour	White	Green / Red / Blue
Dimensions	Ø25mm / H25mm	Ø25mm / H25mm
Max Panel Thickness	10mm	10mm




Luminous LED sign clamp powered by 12v.

Ideal to hold Glass, Acrylic or any other solid substrate.

LED Sign Clamps - Aluminium



Product Code	ALL CLAMP LED 80 WT	ALL CLAMP LED 120 WT
Length	80mm	120mm
LED Colour	White + RGB	White + RGB
Max Panel Thickness	8mm	8mm





www.pdsigns.ie



hello@pdsigns.ie



021 431 1607